

Test Report

Client : BDIVERSE LTD
OFFICE 22 FLOOR 5 BUILDING B HABARZEL 34 TEL AVIV, 6971052.

Product Name : D-Ring

Tested Model : D-R-400

Manufacturer : Zhejiang Fangze New Energy Technology Co., Ltd

Manufacturer address : No.168 HESHUN RD, WUZHEN TOWN, TONGXIANG CITY, ZHEJIANG PROVINCE, CHINA.

Country of Origin : China

The information and sample(s) above were submitted and identified by or on behalf of the client.

Sample Received : Aug. 27, 2025

Testing Period : Aug. 27, 2025 to Sep. 12, 2025

<u>Test Requested</u>	<u>Result</u>
- EN 12640:2000 - Intermodal loading units and commercial vehicles - Lashing points for cargo securing – Minimum requirements and testing (Partial Test)	PASS

Signed for and on behalf of
DEKRA Testing and Certification (Shanghai) Ltd.

Nicky Zhao




Emil Chen

Nicky Zhao
Project Engineer

Emil Chen
Approver

Sample Received



Sample Received



Test Result

With reference to EN 12640:2000 - Intermodal loading units and commercial vehicles - Lashing points for cargo securing – Minimum requirements and testing, the submitted sample was subjected to the following tests:

Number of sample tested: Two (2) piece(s)

Initial inspection: No any damage was found.

Clause	Testing items / Requirement	Result
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Requirements	
4.1	General	P
4.2	Design requirements of single lashing points	P
4.3	Design requirements of multi-point lashing systems	N/A
4.4	Strength of the lashing points	Gross vehicle mass: ≤750 kg Min. lashing capacity for lashing points: 400 daN
4.5	Number and layout of the lashing points	
4.5.1	Number of lashing point pairs	N/A
4.5.2	Arrangement of lashing point pairs	N/A
4.6	Lashing points in the front wall	N/A
4.7	Optional single lashing points or multi-point lashing systems	N/A
5	Verification	Test Load: LC: 400 daN 1.25 LC: 500 daN No damage was found after testing in each of the three most unfavourable directions of application
6	Testing	
7	Marking, identification and user instructions	N/T
8	Maintenance	N/T

Remark: “P” denotes “Pass”, “F” denotes “Fail”, “N/A” denotes “Not applicable”, “N/T” denotes “Not tested”.

As client’s requirement, clause 7 and 8 does not require evaluation.

--- End of Report ---

This document is issued subject to the company’s General Terms and Conditions available at <https://www.dekra.com.cn/en/terms-and-conditions/>. Unless otherwise stated, the test results refer exclusively to the samples tested in this report. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into consideration. DEKRA declines any responsibility with information provided and/or deviations required by the client that may affect the validity of test results. This report can only be reproduced in full and with written approval of the test laboratory. If you have any comment on the test results, please contact us in writing within 15 days after the issuance of this report. The test results shall not be used for propaganda without permission of the test laboratory. This report is not to be used for social proof function in China market.